



AXLE

FRONT AXLE PARTS.....	131
FRONT SUSPENSION.....	132
REAR AXLE PARTS (RIGID AXLE)	133
REAR AXLE SHAFT HUB PARTS (FOR SSS).....	134
REAR SUSPENSION (RIGID AXLE).....	135
REAR SUSPENSION (FOR SSS).....	136
ROAD WHEEL & TIRE.....	137



FRONT AXLE PARTS

NISSAN



Z.ONE.DATSUN

B	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	101	40018-A0800	COLLAR_FRONT SPINDLE	2	5						
	201	40019-21000	O-RING, SPINDLE COLLAR	2	10						
	301	40052-U0101	ARM_KNUCKLE RH	1	1						
	401	40053-U0101	ARM_KNUCKLE LH	1	1						
	501	40056-21001	BOLT_FIX KNUCKLE ARM	4	10						
	601	08915-24210	WASHER_LOCK	4	50						
	701	40038-18001	BOLT_STOPPER	2	10						
	801	08911-34010	NUT	2	50						
	901	40039-21000	CAP_BOLT, STEERING STOPPER	2	10						
	1001	40160-A8600	ASSY_BALL JOINT, FRONT LOWER	2	1						
	1101	40189-73000	PLUG_FILLER	2	10						
	1201	40192-A8600	COVER_DUST, LOWER BALL JOINT INNER	2	5						
	1301	40196-21000	CLAMP_DUST COVER	2	10						
	1401	40179-A8600	NUT_SLOTEED, 12X1.25	2	10						
	1501	08921-32010	PIN_COTTER	2	50						
	1601	08130-82065	BOLT WITH WASHER, 8x1.25	4	50						
	1701	08134-04510	BOLT_HEX, 10X1.25	4	25						
	1801	08912-44010	NUT_HEX, 10X1.25	4	50						
	1901	40202-21050	ASSY_HUB, ROAD WHEEL FRONT (FOR DRUM BRAKE)	2	1	STD, DX					
	02	40202-22050	ASSY_HUB, ROAD WHEEL FRONT (FOR DISC BRAKE)	2	1	SSS, EUROPE OP. STD, DX					
	2001	40222-A0800	BOLT_HUB, ROAD WHEEL (FOR DRUM BRAKE)	8	10	STD, DX					

NOTE:

Z.ONE.DATSUN

FRONT AXLE PARTS

NISSAN


REV NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
						FROM	UP TO	N	F	
2002	40222-22001	BOLT_HUB ROAD WHEEL (FOR DISC BRAKE)	8	10	SSS,EUROPE OP,STD,DX					
2101	40210-A0800	ASSY_BEARING,FRONT WHEEL INNER	2	1						
2201	40215-21000	ASSY_BEARING,FRONT WHEEL OUT	2	1						
2301	40232-21000	SEAL_GREASE,FRONT HUB	2	10						
2401	40234-28500	CAP_HUB,FRONT WHEEL	2	2						
2501	40290-28500	RING-"O",HUB CAP	2	10						
2601	40262-U0100	NUT_LOCK FRONT WHEEL BEARING	2	10						
2701	40264-A0800	WASHER_LOCK FRONT WHEEL BEARING	2	50						
2801	40263-U0100	CAP_ADJUSTING	2	10						
2901	00921-43510	PIN_COTTER	2	50						
3001	40206-21001	DRUM_FRONT BRAKE	2	1	STD,DX					
02	40206-U4800	DRUM-FRONT BRAKE	2		STD,DX				Y Y	40206-21001
3101	40206-A1155	ROTOR_DISC BRAKE FRONT	2	1	SSS,EUROPE OP,STD,DX					
3201	40209-22000	BOLT, FIX ROTOR	8	10						
3301	08915-14010	WASHER_LOCK	8	50						

NOTE:

Z.ONE.DATSUN

FRONT SUSPENSION

NISSAN



Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
			FROM	UP TO	N	F	
1	1						
4	50						
4	50						
2	10						
2	1						
1							
1	1						
1	1						
1	1						
2	10						
2	5						
2	10						
2	10						
2	10						
2	50						
2	1						
4	10						
2	5						
2	50						
4	5						

NOTE:

Z.ONE.DATSUN

FRONT SUSPENSION

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	1901	54480-K0100	ASSY_BRACKET, TENSION ROD RH	1	1						
	2001	54481-K0100	ASSY_BRACKET, TENSION ROD LH	1	1						
	2101	01115-00081	BOLT_HEX	8	10						
	02	01121-00291	BOLT-HEX	8	50						Y N 01115-00081
	2201	08915-44210	WASHER_PLAIN	8	50			03/73			
	2301	08915-14210	WASHER_SPRING	8	50			03/73			
	2401	54611-U0200	BAR-TORSION STABILIZER	1	1						
	2501	56112-09400	BUSH_RUBBER	8	50						
	2601	56113-09400	WASHER_SPECIAL OUTER	4	50						
	2701	56114-09400	WASHER_SPECIAL INNER	2	50						
	2801	54618-U0100	ASSY_ROD, CONNECTING STABILIZER	2	5						
	2901	08912-34010	NUT_SELF LOCKING	4	50						
	3001	54614-U0101	BRACKET_STABILIZER MOUNTING RH	1	1						
	3101	54617-U0200	BUSH-STABILIZER MOUNTING	2	5						
	3201	08120-83010	BOLT_HEX. 8X1.25	4	50						
	3301	08915-43810	WASHER_PLAIN	4	50						
	3401	08915-13810	WASHER_SPRING	4	50						
	3501	54302-N1327	KIT_STRUT, FRONT (ATSUGI)	2	1	STD, DX					
	02	54302-N1328	KIT_STRUT, FRONT (KAYABA)	2	1	STD, DX					
	03	54302-U4627	KIT_STRUT, FRONT (ATSUGI) (HARD SUSPENSION)	2	1	OP. STD, DX					
	04	54302-U4628	KIT_STRUT, FRONT (KAYABA) (HARD SUSPENSION)	2	1	OP. STD, DX					

NOTE

Z.ONE.DATSUN

S	KEY NO.	PART NO.	DESCRIPTION	Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE			ICA		SUPERSEDED
							FROM	UP	TO	N	F	
	3601	54302-K0525	KIT-STRUT, FRONT RH (ATSUGI) (FOR DISC BRAKE)	1	1	SSS OP, STD, DX						
	02	54302-K0526	KIT-STRUT, FRONT RH (KAYABA) (FOR DISC BRAKE)	1	1	SSS OP, STD, DX						
	03	54302-K2325	KIT-STRUT, FRONT RH (ATSUGI)	1	1	SSS (EUROPE)						
	04	54302-K2325	KIT-STRUT, FRONT RH (ATSUGI)	1	1	OP, SSS						
	05	54302-K2325	KIT-STRUT, FRONT RH (ATSUGI) (HARD FOR DISC BRAKE)	1	1	EUROPE OP, STD, DX						
	06	54302-K2326	KIT-STRUT, FRONT RH (KAYABA)	1	1	SSS (EUROPE)						
	07	54302-K2326	KIT-STRUT, FRONT RH (KAYABA)	1	1	OP, SSS						
	08	54302-K2326	KIT-STRUT, FRONT RH (KAYABA) (HARD FOR DISC BRAKE)	1	1	EUROPE OP, STD, DX						
	09	54302-K0527	KIT-STRUT, FRONT RH (ATSUGI)	1	1	STD, DX (EUROPE)						
	10	54302-K0527	KIT-STRUT, FRONT RH (ATSUGI) (HARD, FOR DISC BRAKE)	1	1	OP, STD, DX						
	11	54302-K0528	KIT-STRUT, FRONT RH (KAYABA)	1	1	STD, DX (EUROPE)						
	12	54302-K0528	KIT-STRUT, FRONT RH (KAYABA) (HARD, FOR DISC BRAKE)	1	1	OP, STD, DX						
	3701	54303-K0525	KIT-STRUT, FRONT LH (ATSUGI) (FOR DISC BRAKE)	1	1	SSS OP, STD, DX						
	02	54303-K0526	KIT-STRUT, FRONT LH (KAYABA) (FOR DISC BRAKE)	1	1	SSS OP, STD, DX						
	03	54303-K2325	KIT-STRUT, FRONT LH (ATSUGI)	1	1	SSS (EUROPE)						
	04	54303-K2325	KIT-STRUT, FRONT LH (ATSUGI)	1	1	OP, SSS						
	05	54303-K2325	KIT-STRUT, FRONT LH (ATSUGI) (HARD FOR DISC BRAKE)	1	1	EUROPE OP, STD, DX						
	06	54303-K2326	KIT-STRUT, FRONT LH (KAYABA)	1	1	SSS (EUROPE)						

NOTE:

Z.ONE.DATSUN

FRONT SUSPENSION

#	KEY NO.	PART NO.	DESCRIPTION	Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	3707	54303-K2326	KIT-STRUT, FRONT LH (KAYABA)	1	1	OP, SSS					
	08	54303-K2326	KIT-STRUT, FRONT LH (KAYABA) (HARD FOR DISC BRAKE)	1	1	EUROPE OP, STD, DX					
	09	54303-K0527	KIT-STRUT, FRONT LH (ATSUGI)	1	1	STD, DX (EUROPE)					
	10	54303-K0527	KIT-STRUT, FRONT LH (ATSUGI) (HARD, FOR DISC BRAKE)	1	1	OP, STD, DX					
	11	54303-K0528	KIT-STRUT, FRONT LH (KAYABA)	1	1	STD, DX (EUROPE)					
	12	54303-K0528	KIT-STRUT, FRONT LH (KAYABA) (HARD, FOR DISC BRAKE)	1	1	OP, STD, DX					
	3801	54308-N1225	KIT-PACKING, STRUT (ATSUGI)	2	1						
	02	54308-N1226	KIT-PACKING, STRUT (KAYABA)	2	1						
	3901	56110-N1225	KIT-SHOCK ABSORBER, FRONT (ATSUGI)	2	1						
	02	56110-N1226	KIT-SHOCK ABSORBER, FRONT (KAYABA)	2	1						
	03	56110-U3425	KIT-SHOCK ABSORBER, FRONT (ATSUGI) (HARD SUS.)	2	1	OP, STD, DX					
	04	56110-U3426	KIT-SHOCK ABSORBER, FRONT (KAYABA) (HARD SUS.)	2	1	OP, STD, DX					
	05	56110-K2325	KIT-SHOCK ABSORBER, FRONT (ATSUGI)	2	1	EUROPE					
	06	56110-K2325	KIT-SHOCK ABSORBER, FRONT (ATSUGI) (DISC BRAKE)	2	1	OP					
	07	56110-K2326	KIT-SHOCK ABSORBER FRONT (KAYABA)	2	1	EUROPE					
	08	56110-K2326	KIT-SHOCK ABSORBER, FRONT (ATSUGI) (DISC BRAKE)	2	1	OP, SSS					
	4001	54313-22129	OIL-STRUT	1		SSS (EUROPE)					


NOTE:

Z.ONE.DATSUN
Saisissez du texte ici

S	KEY NO.	PART NO.	DESCRIPTION	Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	4101	54010-E2301	SPRING_FRONT	2	1	EXC, SSS(AUTO)					
	02	54010-U0110	SPRING_FRONT	2	1	EUROPE					
	03	54010-U0110	SPRING_FRONT (FOR HARD SUS.)	2	1	SSS(AUTO)OP.SEDAN SSS(MANUAL) HARDTOP(DX)					
	4201	54050-U0101	BUMPER_FRONT SUSPENSION BOUND	2	5						
	4301	54040-21000	ASSY_SEAT, UPPER FRONT SPRING	2	1						
	4401	54055-21000	COVER_DUST STRUT	2	1						
	4501	54057-21000	RING_SNAP, DUST COVER	2	10						
	4601	54059-21002	SEAL_DUST, STRUT	2	5						
	4701	54325-21000	BEARING_STRUT MOUNTING	2	1						
	4801	54320-21001	INSULATOR_STRUT MOUNTING	2	1						
	4901	54324-N1000	NUT_SELF LOCKING	1							
	5001	08911-24010	NUT_HEX, 10X1.25	3	50						
	5101	08915-14010	WASHER_SPRING	3	50						
NOTE:											
											Z.ONE.DATSUN

NOTE





Z.ONE.DATSUN

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
*	101	43010-K0500	COMP_CASE, REAR AXLE	1		STD DX					43010-K0500
	02	43010-K0550	COMP-CASE, REAR AXLE	1	1	STD, DX				Y N	
	201	08223-82210	STUD 8X1.28	8	50	STD, DX					
	301	43252-H1000	SEAL_OIL, REAR AXLE SHAFT	2	10	STD, DX					
	401	38322-55100	BREATHER, REAR AXLE CASE	1	10	STD, DX					
	501	43059-A1600	PLUG_FILLER	1	10	STD, DX					
	601	32103-14600	ASSY_PLUG, DRAIN	1	10	STD, DX					
	701	43096-G0300	CAP-AIR BREATHER	1	10	STD, DX					
	801	38162-U1500	COMP_SHAFT, REAR AXLE	2	1	STD, DX					
	901	40222-A0800	BOLT_HUB, ROAD WHEEL	8	10	STD, DX					
	1001	43070-H5000	SPACER, REAR AXLE BEARING	2	5	STD, DX					
	1101	43215-H5000	BEARING, REAR AXLE	2	1	STD, DX					
	1201	43255-H1000	COLLAR, BEARING REAR AXLE SHAFT	2	5	STD, DX					
	1301	43238-K0500	CUTTER-OIL, REAR AXLE	2	5	STD, DX					
	1401	43036-H5000	SHIM, AXLE CASE (T=0,075)	AR	10	STD, DX					
	1501	40206-21001	DRUM_BRAKE	2	1	STD, DX					40206-21001
	02	40206-U4800	DRUM-BRAKE	2		STD, DX				Y Y	


NOTE:

Z.ONE.DATSUN

NOTE



REAR AXLE SHAFT HUB PARTS (FOR SSS)



PRINTED IN JAPAN

Z.O.N.E.DATSUN

REAR AXLE SHAFT HUB PARTS (FOR SSS)

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
*	101	-	39600-21001	2	1	SSS		0573			
	02	-	39600-A9000	2		SSS	0673		C	C	39600-21001
	201	-	39657-21000	2	5	SSS					
	301	-	00922-25000	4	10	SSS					
	401	-	39653-21000	2	10	SSS					
	501	-	39654-21000	2	10	SSS					
	601	-	39655-21002	2	5	SSS					
	701	-	39658-21050	2	10	SSS					
	801	-	39659-21050	2	5	SSS					
	901	-	39661-21000	2	10	SSS					
	1001	-	39662-21000	2	10	SSS					
	1101	-	00922-25000	4	10	SSS					
	1201	-	39617-A0600	4	1	SSS					
	1301	-	39625-21026	4	1	SSS					
	02	-	39625-21025	4	1	SSS					
	1401	-	39630-21004	16	1	SSS					
	1501	-	39634-21001	16	10	SSS					
	1601	-	39636-21004	16	20	SSS					
	1701	-	39646-21001	16	10	SSS					
	02	-	39647-21001	16	10	SSS					
	03	-	39648-21001	16	10	SSS					

NOTE:

Z.ONE.DATSUN

REAR AXLE SHAFT HUB PARTS (FOR SSS)

S	KEY NO.	PART NO.	DESCRIPTION	Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	1704	- 39649-21001	RING_SNAP, BEARING RACE (1.58T)	16	10	SSS					
	05	- 39646-21002	RING_SNAP, BEARING RACE (1.61T)	16	10	SSS					
	06	- 39647-21002	RING_SNAP, BEARING RACE (1.64T)	16	10	SSS					
	07	- 39648-21002	RING_SNAP, BEARING RACE (1.67T)	16	10	SSS					
	1801	- 39628-E4100	BOLT	8	10	SSS					
	1901	- 39627-E4100	NUT	16	10	SSS		0573			
	02	- 39627-E4100	NUT	8		SSS	0673				
	2001	- 08915-14010	WASHER_LOCK	16	50	SSS		0573			
	02	- 08915-14010	WASHER-LOCK	8		SSS	0673				
	2101	- 38162-21051	ASSY_SHAFT, REAR AXLE	2	1	SSS					
	2201	- 40222-A0800	BOLT_HUB, ROAD WHEEL	8	10	SSS					
	2301	- 43242-21001	CATHER_GREASE	2	10	SSS					
	2401	- 43244-A0800	SCREW WITH SUPER LOCK WASHER	8	10	SSS					
	2501	- 43210-21000	BEARING_REAR AXLE	4	1	SSS					
	2601	- 43090-21000	PIECE_DISTANCE, BEARING (58.9MM)	2	1	SSS					
	02	- 43091-21000	PIECE_DISTANCE, BEARING (58.85MM)	2	1	SSS					
	03	- 43092-21000	PIECE_DISTANCE, BEARING (59.05MM)	2	1	SSS					
	2701	- 43232-21000	SEAL_GREASE, REAR AXLE	2	10	SSS					
	2801	- 43070-21000	SPACER_BEARING	2	10	SSS					

NOTE:

Z.ONE.DATSUN

REAR AXLE SHAFT HUB PARTS (FOR SSS)

S	KEY NO.	PART NO.	DESCRIPTION	Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	2901	43262-21000	NUT_LOCK	2	5	SSS					
	3001	08915-45010	WASHER_LOCK	2	50	SSS					
	3101	43213-U0100	ASSY_FLANGE, REAR AXLE	2	1	SSS					
	3201	40206-21001	DRUM_BRAKE	2	1	SSS					
	02	40206-U4800	DRUM-BRAKE	2		SSS			Y	Y	40206-21001

NOTE:

Z.ONE.DATSUN


NOTE



Z.ONE.DATSUN

REAR SUSPENSION (RIGID AXLE)

NISSAN



Z.ONE.DATSUN

REAR SUSPENSION (RIGID AXLE)

S	KEY NO.	PART NO.	DESCRIPTION	Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	101	55020-K0500	ASSY-SPRING REAR	2	1	MANUAL (STD, DX)					
	02	55020-K0100	ASSY-SPRING REAR	2	1	AUTO (STD, DX)					
	03	55020-K2600	ASSY-SPRING REAR	2		STD, DX (EUROPE)					
	201	55045-A6900	BUSH-REAR SPRING A	4	8	STD, DX					
	301	55046-22900	BUSH-REAR SPRING, REAR UPPER	12	10	STD, DX					
	401	55047-22900	BUSH-REAR SPRING REAR LOWER	4	10	STD, DX					
	501	55210-K0101	PIN-REAR SPRING	2	1	STD, DX					
	601	08915-24210	WASHER-SPRING	2	50	STD, DX					
	701	08915-14810	WASHER-PLAIN	2	50	STD, DX					
	801	08911-24210	NUT-HEX, M12X1.25	2	50	STD, DX					
	901	08911-10810	NUT-HEX, M8X1.25	2	50	STD, DX					
	1001	55220-U1500	ASSY-SHACKLE, REAR SPRING	2	1	STD, DX					
	1101	55222-U1500	SHACKLE-REAR SPRING A	2	1	STD, DX					
	1201	08911-24210	NUT-HEX, M12X1.25	4	50	STD, DX					
	1301	08915-24210	WASHER-SPRING	4	50	STD, DX					
	1401	55240-U1501	ASSY-BUMPER, REAR SUSPENSION	2	1	STD, DX					
	1501	08911-10810	NUT-HEX, M8X1.25	4	50	STD, DX					
	1601	08915-13810	WASHER-SPRING	4	50	STD, DX					
	1701	55247-K0500	CLIP-REAR SPRING	4	1	STD, DX					
	1801	08911-24010	NUT-HEX, M12X15	8	50	STD, DX					
	1901	08915-24210	WASHER-SPRING	8	50	STD, DX					
	2001	55054-K0100	PLATE-LOCATING, REAR SPRING	2	1	STD, DX					
	2101	55244-K0500	ASSY-PAD, SEATING REAR SPRING	4	5	STD, DX					

NOTE:

Z.ONE.DATSUN

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	2201	55266-29300	ASSY-SEAT, REAR SPRING LOWER RH	1	1	STD, DX					
	2301	55267-29300	ASSY-SEAT, REAR SPRING LOWER LH	1	1	STD, DX					
	2401	55350-K0500	ASSY-STOPPER, DIFFERENTIAL	1	1	STD, DX					
	2501	08110-81662	BOLT-HEX. M8X1.25	2	50	STD, DX					
	2601	56210-K0125	KIT-SHOCK ABSORBER, REAR (TOKICO)	2	1	STD, DX					
	02	56210-K2625	KIT-SHOCK ABSORBER, REAR (TOKICO)	2		STD, DX (EUROPE)					
	2701	56112-28501	BUSH-RUBBER, SHOCK ABSORBER	4	10	STD, DX					
	02	56112-21000	BUSH-RUBBER, SHOCK ABSORBER	4	10	STD, DX			Y	Y	56112-28501
	2801	56129-32700	WASHER-SPECIAL, SHOCK ABSORBER	4	50	STD, DX					
	02	56113-73000	WASHER-SPECIAL, SHOCK ABSORBER	4	10	STD, DX			Y	Y	56129-32700
	2901	56114-28501	WASHER-SPECIAL, INNER	2	10	STD, DX					
	02	56114-21000	WASHER-SPECIAL INNER	2	10	STD, DX			Y	Y	56114-28501
	3001	08911-14010	NUT-HEX. M10X1.25	2	50	STD, DX					
	3101	08911-34010	NUT-HEX, JAM, M10X1.25	2	50	STD, DX					
	3201	56119-32201	BUSH-RUBBER, SHOCK ABSORBER MOUNTING	4	10	STD, DX					
	3301	56225-68200	WASHER-THRUST	2	10	STD, DX					


NOTE:

Z. ONE. DATSUN

NOTE



Z.ONE.DATSUN



Z.ONE.DATSUN

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	101	55401-U0101	ASSY_MEMBER, REAR SUSPENSION	1	1	SSS					
	201	55477-21000	SPACER_DIFFERENTIAL MTG "A"	4	10	SSS					
	301	55478-21000	SPACER_DIFFERENTIAL MTG "B"	4	10	SSS					
	401	55479-21000	BOLT_DIFFERENTIAL MTG	4	10	SSS					
	501	08912-84210	NUT_SELF LOCKING	4	50	SSS					
	601	55466-A4600	INSULATOR_MEMBER MOUNTING	2	1	SSS					
	701	55464-21000	STOPPER_MEMBER MTG UPPER	2	5	SSS					
	801	55465-A4600	STOPPER_MEMBER MTG LOWER	2	5	SSS					
	901	55463-21000	WASHER_MEMBER MOUNTING LOWER	2	10	SSS					
*	1001	54324-21000	NUT_SELF LOCKING	2	10	SSS					
	02	54324-N0100	NUT-SELF LOCKING	2	1	SSS				Y Y	54324-21000
	1101	55522-U0100	BOLT_REAR SUSPENSION MOUNTING, FRONT	2	5	SSS					
	1201	08912-44410	NUT_SELF LOCKING	2	50	SSS					
	1301	55471-U0100	MEMBER_DIFFERENTIAL MOUNTING	1	1	SSS					
	1401	55476-U0100	INSULATOR_DIFFERENTIAL MTG	2	1	SSS					
	1501	55474-U0100	STOPPER_DIFFERENTIAL MOUNTING UPPER	2	10	SSS					
	1601	55475-U0100	STOPPER_DIFFERENTIAL MOUNTING LOWER	2	5	SSS					
	1701	55523-A0800	BOLT_REAR SUSPENSION MOUNTING, REAR	2	5	SSS					
	1801	55481-U0100	PLATE_DIFFERENTIAL MOUNTING	1	1	SSS					
*	1901	54324-21000	NUT_SELF LOCKING	2	10	SSS					
	02	52324-N0100	NUT-SELF LOCKING	2	1	SSS					

NOTE:

Z.ONE.DATSUN

REAR SUSPENSION (FOR SSS)

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE			ICA		SUPERSEDED
							FROM	UP TO		N	F	
	2001	08915-54210	WASHER_PLAIN	2	50	SSS						
	2101	08915-44810	WASHER_PLAIN	2	10	SSS						
	2201	08912-84210	NUT_SELF LOCKING	2	50	SSS						
	2301	55501-K0400	ASSY_ARM,REAR SUSPENSION RH	1	1	SSS						
	02	55501-U2001	ASSY_ARM,REAR SUSPENSION RH	1	1	SSS(EUROPE)						
	2401	55502-K0400	ASSY_ARM,REAR SUSPENSION LH	1	1	SSS						
	02	55502-U2001	ASSY_ARM REAR SUSPENSION LH	1	1	SSS(EUROPE)						
	2501	56231-21051	ASSY_BRACKET,SHOCK ABSORBER RH	1	1	SSS						
	2601	56232-21051	ASSY_BRACKET,SHOCK ABSORBER LH	1	1	SSS						
	2701	55045-K0400	ASSY_BUSH,SUSPENSION ARM	4	5	SSS						
	02	55045-21000	ASSY_BUSH,SUSPENSION ARM	4	5	SSS(EUROPE)						
	2801	55226-U0100	PIN_ARM	4	5	SSS						
*	2901	54324-21000	NUT_SELF LOCKING	4	10	SSS						
	02	54324-N0100	NUT-SELF LOCKING	4	1	SSS				Y	Y	54324-21000
	3001	08915-44410	WASHER_PLAIN	8	50	SSS						
	3101	08915-44210	WASHER_PLAIN	4	50	SSS						
	3201	55020-U0101	SPRING_COIL	2	1	SSS						
	02	55020-K2200	SPRING_COIL (HARD_SUSPENSION)	2	1	OP.SSS						
	3301	55036-21000	SEAT_RUBBER,REAR SPRING	2	5	SSS						
	3401	55240-A0100	ASSY BUMPER,REAR SUSPENSION	2	1	SSS						
	3501	55241-21000	SPACER BUMPER RUBBER	2	10	SSS						

NOTE:

Z.ONE.DATSUN

REAR SUSPENSION (FOR SSS)

S	KEY NO.	PART NO.	DESCRIPTION	Q'TY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
	3601	08911-14010	NUT	2	50	SSS					
	3701	08915-54010	WASHER_PLAIN	2	50	SSS					
	3801	56210-U0125	KIT_SHOCK ABSORBER, REAR (TOKIKO)	2	1	SSS					
	02	56210-U0126	KIT_SHOCK ABSORBER, REAR (KAYABA)	2	1	SSS					
	03	56210-U0127	KIT_SHOCK ABSORBER REAR (HARD_SUSPENSION)	2	1	OP,SSS					
	3901	56112-21000	BUSH_RUBBER UPPER	4	10	SSS					
	4001	56113-73000	WASHER_SPECIAL	4	10	SSS					
	4101	56119-32201	BUSH_RUBBER	4	10	SSS					
	4201	56225-A0800	WASHER_SPECIAL	2	10	SSS					
	4301	56114-21000	WASHER_SPECIAL, INNER	2	10	SSS					
	4401	08911-14010	NUT	2	50	SSS					
	4501	08911-34010	NUT	2	50	SSS					
	4601	08915-14010	WASHER_LOCK	2	50	SSS					
	4701	08114-02010	BOLT_HEX.M10	2	50	SSS					


NOTE:

Z.ONE.DATSUN

NOTE



Z.ONE.DATSUN



Z.ONE.DATSUN

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE		ICA		SUPERSEDED
							FROM	UP TO	N	F	
*	101	40300-A8601	ASSY ROAD WHEEL, 4JX13	5	1	STD, DX					
	02	40300-K0500	ASSY-ROAD WHEEL, 4JX13	5	1	STD, DX			Y	N	40300-A8601
*	03	40300-U0601	ASSY-ROAD WHEEL, 41/2JX13	5	1	SSS					
	04	40300-K0400	ASSY-ROAD WHEEL, 41/2JX13	5	1	SSS			Y	N	40300-U0601
*	05	40300-U0601	ASSY-ROAD WHEEL, 41/2JX13	5	1	EUROPE					
	06	40300-K0400	ASSY-ROAD WHEEL, 41/2JX13	5		EUROPE			Y	N	40300-U0601
#	201	40312-A5001	TIRE-TUBELESS, 5,60-13-4PR	5		STD					
#	02	40310-21000	SET-TIRE & TUBE, 5,60-13-4PR	5		OP, STD					
#	03	40312-A5003	TIRE-TUBELESS, 5,60-13-4PR	5		DX OP, STD					
#	04	40310-K1140	SET-TIRE & TUBE, 165HR13	5		OP, EUROPE					
#	05	40310-A5040	SET-TIRE & TUBE, RADIAL 165SR13	5		EUROPE					
#	06	40310-A5040	SET-TIRE & TUBE, RADIAL 165R13	5		OP					
#	07	40312-K2211	TIRE-TUBELESS, 6,45S13-4PR	5		SSS OP, STD, DX					
#	08	40310-K2210	SET-TIRE & TUBE, 6,45S13-4PR	5		OP					
	301	40315-21000	CAP-ROAD WHEEL	4	1	STD					
	401	40315-K0500	ASSY-COVR, ROAD WHEEL	4	1	DX		0373			
	02	40315-K2400	ASSY-COVER, ROAD WHEEL	4		DX	0473		N	N	40315-K0500
	03	40315-K2500	ASSY-COVER, ROAD WHEEL	4		SSS					
	501	20130-0410P	WEIGHT-COMPENSATION, WHEEL BALANCE 10 GR	AR	10						
	02	20130-0411P	WEIGHT-COMPENSATION, WHEEL BALANCE 20GR	AR	5						

NOTE:

Z.ONE.DATSUN

ROAD WHEEL & TIRE

S	KEY NO.	PART NO.	DESCRIPTION	QTY	UNIT PKG FOR DIST.	APPLIED MODEL	APPLIED DATE			ICA		SUPERSEDED
							FROM	UP TO		N	F	
	503	20130-0412P	WEIGHT-COMPENSATION, WHEEL BALANCE 30GR	AR	5							
	04	20130-0413P	WEIGHT-COMPENSATION, WHEEL BALANCE 40GR	AR	5							
	05	20130-0414P	WEIGHT-COMPENSATION, WHEEL BALANCE 50GR	AR	5							
	06	20130-0415P	WEIGHT-COMPENSATION, WHEEL BALANCE 60GR	AR	5							
	601	40224-21001	NUT-ROAD WHEEL	16	10							

NOTE:

Z.ONE.DATSUN

NOTE



Z.ONE.DATSUN

PUB. No.: C-0160L

ILLUSTRATION No.: 138 & 139

A spare ILLUSTRATION No. in the future.